



714-632-0447 westerndrain.com

1140 N. Kraemer Place Anaheim, CA 92806

## CONTENTS



| 3     | About Western Drain Supply              |
|-------|---|
| 4-7   | Drain Cleaning Machines and Jetters     |
| 8-15  | Drain Cable, Blades and Accessories     |
| 16-17 | Jetter Hoses and Nozzles                |
| 18-20 | Picote Machines and Accessories         |
| 21-23 | CIPP Pipe Lining Equipment and Supplies |
| 24-25 | Inspection and Locator Systems          |
| 26-28 | Cameras and Monitors                    |
| 29    | Press Tools                             |
| 30-32 | Drain Care Products                     |
| 33-35 | Ordering, Warranty & Return Information |

























**OUR CATALOG** includes top selling products. Ask us about any item you need! Special orders welcome.

More items available on our website!

WWW.WESTERNDRAIN.COM

All products and prices are subject to change without notice.

## **ABOUT US**



Drain cleaning experts, plumbing pros and sewer repair technicians know that Western Drain Supply is the best place to get your gear.

Founded in 1999, Western Drain serves greater Anaheim, California and surrounding areas.

Conveniently located in east Anaheim near access to all the major highways, our showroom and exclusive brand rooms are stocked with everything you need for your plumbing and drain cleaning business.

We open at 7:00 am Monday through Friday so you can stop by before your first job of the day. We close at 4:00pm.


You can order on our website 24/7 and have your items shipped to you or ready for in-store pickup.

Our on-site repair center is equipped with state-of-the-art tools to get your gear up and running again in tip-top shape, and our Ridgid and Picote certified repair technicians are experienced professionals who are dedicated to doing a great job for you.

Depend on our knowledgeable staff to get you the equipment you need at a fair price. We're here to help you.







## DRAIN MACHINES





#### DM175 Drain Cleaning Machine Manufactured by Duracable®

American-made for durability. Great for 3" to 10" lines with a 3/4 HP motor at 175 RPM, 23" polyethylene reel housing, and a 11/16" x 100' hollow core DuraFlex cable. The upright design of the DM175's welded steel unibody frame allows for service technicians to operate the machine in either a vertical or horizontal position. Removable leg supports come standard. A steel head bearing holds the reel in place and allows for a quick reel change with convenient swing bolts. The built-in tool box gives you easy access to tools. A winch hook at the top of the frame makes it easy to lift the machine.

DM175SP1 \$3,858.81

### DM162 Drain Cleaning Machine Manufactured by Duracable®

If you're looking for a strong machine that is fit for various jobs in 2" to 6" lines, check out this big, tough, versatile upright. The DM162 can be configured just the way you want it for the way you work. We think it's the best that money can buy and will give you long years of service, no matter how tough the job: 1/2 HP motor at 265 RPM, 18" polyethylene reel and 5/8" x 80' hollow core cable. A steel head bearing holds the reel in place and swing bolts allow for quick reel changes. The winch hook at the top of the frame makes it easy to lift the machine.

DM162SP1 \$3,031.48



### DM55 Drain Cleaning Machine Manufactured by Duracable®

Ideal for 2" to 10" lines, Duracable's popular DM55 features a 3/4 HP motor, power cable feed and return, and a continuous-weld frame constructed of an aluminum alloy that is as strong as steel. This sled design allows for service technicians to operate the machine in either a vertical or horizontal position. To help protect the machine operator, this machine features electrical wiring that runs through the frame. The winch hook on the frame makes it easy to lift the machine with a loading ramp or crane.

| DM55 SP  | 26" Open Spoke Metal Reel, 11/16" X 110' Cable       | \$3,384.00 |
|----------|--|------------|
| DM55 SPJ | 26" Jumbo Open Spoke Metal Reel, 11/16" X 150' Cable | \$4,064.12 |
| DM55 SPO | 26" Polyethylene Reel, 11/16" X 110' Cable           | \$3,413.00 |
| DM55 SPP | 26" Jumbo Polyethylene Reel, 11/16" X 150' Cable     | \$4,160.74 |



### DM30 Drain Cleaning Machine Manufactured by Duracable®

Ideal for 2" to 6" lines in residential and light commercial jobs, the DM30 features a double tube frame for added stability when on the job. The electrical wiring of this machine runs through the top of the frame so normal wear will not expose the wiring. This machine can run several different sized reels which makes this machine very versatile with the flexibility of the cable diameter and length.

| DM30 SP  | 21" Open Spoke Metal Reel, 5/8" X 100' Cable | \$3,174.00 |
|----------|--|------------|
| DM30 SPB | 21" Polyethylene Reel, 5/8" X 100' Cable     | \$3,174.00 |

## J-Maxx Drain Cleaning Machine Manufactured by Duracable®

The J-Maxx packs a lot of power for a smaller machine. The 1/3 HP 200 RPM motor and standard safety air foot pedal make this machine effective, versatile and easy to use. It is suited to residential jobs, roof vents and floor drains. A continuously-welded steel frame allows the workings of the machine to be bolted directly to the frame for stability. The J-Maxx machine was designed to handle several reel sizes.

| J-MAXX SP  | 16" Open Spoke Metal Reel, 3/8" X 75' Cable | \$1,255.00 |
|------------|---|------------|
| J-MAXX SPA | 19" Open Spoke Metal Reel, 1/2" X 75' Cable | \$1,218.78 |
| J-MAXX SPB | 16" Polyethylene Reel, 3/8" X 75' Cable     | \$1,203.00 |
| J-MAXX SPC | 19" Polyethylene Reel, 1/2" X 75' Cable     | \$1,303.00 |



## DRAIN MACHINES

### DM150 Drain Cleaning Machine Manufactured by Duracable®

The DM150 is a powerhouse machine that performs best in 11/4" to 4" lines. The D-shaft motor gives this machine extra torque to help push through an obstruction. Operates in five positions (0 to 90 degrees) that can be secured in notched positions to keep the reel from slipping. The DM150 can be transported easily with a machine cart or an optional lifting handle can be added to the machine. The quick-change reel also allows an operator to run two different sized cables in just minutes.

| <b>DM150A</b> | 14" Oversize Polyethylene Reel, 1/2" X 75' Cable | \$1,715.03 |
|---------------|--|------------|
| DM150A1       | 14" Polyethylene Reel, 3/8" X 75' Cable          | \$1,684.83 |
| DM150A2       | Two Polyethylene Reels, two Cables and Cart      | \$2,518.18 |



## DM138 Drain Cleaning Machine Manufactured by Duracable®

The DM138's continuously-welded frame holds up to the challenges of the job and a heavy-duty front bearing mount also adds to the stability of this machine. The machine is equipped with a self-aligning head bearing which ensures that the reel will stay in place when in operation. It also allows for a quick reel change on the job. The DM138 machine's guide tube protects surfaces from scratching while running cable. This small machine can also operate in an upright position to allow running cable easier. Non-marring rubber pads will protect flooring whether the machine is run in a horizontal or vertical position. Use the DM138 for  $1\frac{1}{4}$ " to 3" residential lines, sinks, shower and bathtub drains.

| DM138A  | 14" Polyethylene Reel, 3/8" X 90' Cable                         | \$925.00   |
|---------|---|------------|
| DM138A2 | 8" And 14" Polyethylene Reels, 3/8" X 90' and 1/4" X 37' Cables | \$1,095.00 |



### DM125 Drain Cleaning Machine Manufactured by Duracable®

The DM125 is small but mighty. The heavy-duty casted self-aligning head bearing ensures that the reel will stay in place. The versatile DM125 can operate in the horizontal or the vertical position. Equipped with a GFCI, safety air foot pedal and through-the-frame wiring, the DM125 machine maintains the safety of the operator. A guide tube and guide tube bracket help run cable without scratching surfaces, and the non-marring pads eliminate marks and scuffs on the floor while you are on the job.

**DM125A** 8" Polyethylene Reel, 1/4" X 37' Cable \$733.00



Prefer an Open Spoke Metal Reel? Just ask! We can customize your Duracable machine the way you like it. Call or visit our store to dicuss options.





## MACHINES





### Model 68 Series Drain Machine Manufactured by Gorlitz®

Heavy duty drain cleaning machines without compromise. 1 HP reversible motor and 10:1 gearbox. Skid bars protect the frame and a rear bumper lets you position the machine on its back. Designed for oneman operation, the Gorlitz GO 68 HD's are perfect for cleaning roots, sludge, grease, sand and rags from 3" to 10" lines up to 500' long.

| GORGO68HDPE | 11/16" x 150' Enclosed Poly Drum | \$3,240.00 |
|-------------|----------------------------------|------------|
| GORGO68HDRR | 11/16" x 150' Open Metal Reel    | \$3,207.90 |
| GORT04      | Loading Ramp for 68 Series       | \$492.84   |



### Model 62 Series Drain Machine Manufactured by Gorlitz®

Versatile mid-size drain cleaning machines popular with plumbers and general contractors. 1/3 HP motor and 10:1 gearbox. Ideal for big jobs in small spaces, the Gorlitz GO 62 HD's are suited for cleaning 1½" to 4" lines up to 200' long.

| GORGO62AHDPE | 5/8" x 100' Enclosed Poly Drum     | \$2,358.75 |
|--------------|------------------------------------|------------|
| GORGO62AHD   | 5/8" x 100' Open Metal Reel        | \$2,331.00 |
| GORGO62HD    | 5/8" x 100' Three Open Metal Reels | \$2,897.10 |
| GORT04A      | Loading Ramp for 62 Series         | \$492.84   |



### Model 50 Series Drain Machine Manufactured by Gorlitz®

Junior sized sled style drain cleaning machines can accommodate the Gorlitz Power Cable Feeder and Puller and Electric Foot Switch. 1/3 HP dual capacitor reversible ball bearing motor. The Gorlitz GO 50 machines are suited for cleaning vents, light roots and small drain lines 2" to 3" lines up to 100' long.

| GORGO50PE  | 1/2" x 80' Enclosed Poly Drum | \$1,387.50 |
|------------|-------------------------------|------------|
| GORGO50RR  | 1/2" x 80' Open Metal Reel    | \$1,354.20 |
| GORGO50APE | 3/8" x 90' Enclosed Poly Drum | \$1,365.30 |
| GORGO50ARR | 3/8" x 90' Open Metal Reel    | \$1,332.00 |



#### Model 380/250 Series Drain Machine Manufactured by Gorlitz®

Gorlitz Models 380/250 Series machines are built with a unique frame construction that ensures durability and strength. Versatile, with five cable and drum combinations. Free-spinning inner hubs on drums prevent cables from kinking. Driven by a high-torque dual capacitor ball bearing motor for clearing sink and drain lines from 1½" to 3" in diameter up to 90' long.

| GORGO380     | 3/8" x 65' Enclosed Poly Drum                | \$1,060.05 |
|--------------|--|------------|
| GORGO380A    | 3/8" x 90' Enclosed Poly Drum                | \$1,082.25 |
| GORGO380/250 | 3/8" x 90' and 1/4" x 50' Enclosed Poly Drum | \$1,215.45 |



### Model 15 Series Drain Machine Manufactured by Gorlitz®

Model GO 15 Series are the smallest sink cleaning machines from Gorlitz: lightweight, smooth and quiet in operation, tough and durable in construction and recommended to efficiently clean any 11/4" to 2" kitchen or shower drain. The completely watertight enclosed polyethylene drum is equipped with a specially designed inner cone and distributor arm to reduce the possibility of cables escaping or kinking.

| <b>GORGO15</b> 1/4" x 35' Enclosed Poly Drum |                               | \$750.36 |
|--|-------------------------------|----------|
| GORGO15A                                     | 1/4" x 50' Enclosed Poly Drum | \$760.35 |



## **JETTERS**

### 3500 Series Gas Powered Jetter Manufactured by Gorlitz®

Versatile large gas powered water jetter for outdoor use. Sturdy frame, front lift handle, battery box, trigger gun and mounting rings, hose reel and 8" pneumatic tires. The mounted hose reel has the capacity to store over 300 feet of 3/8" diameter jetter hose and is fitted with a stainless steel swivel, hose guards and adjustable reel break. Quick disconnect fittings at the pump, reel, hose and trigger gun simplify all connections. Powered by a dependable electric and manual start Honda GX630 18 HP engine and three piston ceramic plunger pump generating 3500 psi of pressure at 5.5 GPM to clear the most difficult blockages. Hydro-pulse feature easily opens frozen pipes and blasts through tough stoppages clearing sludge, grease and residue.

**GORGO3500** \$8,250.00



## 1500 Series Electric Jetter Manufactured by Gorlitz®

Easy maintenance, light weight and simplicity of operation makes the 1500 jetter a favorite among professional drain cleaners and plumbers. Compact and sturdy, this jetter is easy to maneuver with an extendable transportation handle, front lift handle, tool box for storage of accessories and pneumatic tires. In addition, the frame is outfitted with convenient extension cord storage hooks while the electrical control box provides additional outlets. The divided hose reel accepts two different size hoses for simple storage of the trap hose and for permanent operation of the larger jetter hose. Quick disconnect hardware makes for easy break down and loading. Custom built dual capacitor 2 HP electric motor draws 19.8 amps at full load. The duplex ceramic plunger pump equipped with dual pulsation will generate over 1500 psi at 2.1 GPH to clear tough stoppages or open frozen pipes.

| GORGO1500  | 1/4" x 100' |  | \$3,100.00 |
|------------|-------------|--|------------|
| GORGO1500B | 1/8" x 75'  |  | \$2,150.00 |



## Power Cable Feeder and Puller Manufactured by Gorlitz®

Gorlitz's heavy duty power cable feeders and pullers are recommended for all sewer and drain cleaning models. Impressive power, speed and construction. The drive pins, U-brackets, spring pressure pad and heavy duty knob assembly spindle and plate are heat treated for extended life. Most importantly, all aluminum housings have grease fittings to lubricate the pistons. Advance or retract left- or right-coiled cables from 3/8" to 3/4" in diameter at a rate from 0 to 32 feet per minute depending on machine revolution.

| GORT01  | Standard | \$499.50 |
|---------|----------|----------|
| GORT01A | Mini     | \$466.20 |

### Aquiline Electric Footswitch Manufactured by Gorlitz®

Gorlitz's electric foot switch allows the operator's hands to be free to guide the cable while controlling the on/off position of the machine. This unit is made from a heavy duty metal casting and painted in a bright fluorescent color for easy visibility.

**GORTO7B** \$97.68

Western Drain is your source for GORLITZ machines.



## DRAIN CABLE



Prices are subject to change without notice.

Additional cable styles also available. Let us know what you need.

Please specify male, female or no end fittings for cable orders. End fittings also available separately. Call or visit our store for details.

Manufactured by Duracable®

| DIAMETER | LENGTH | HOLLOW CO | ORE      | INNER COR | Е        | LOOSE WOUN  | ID       | OPEN HOOK |         |
|----------|--------|-----------|----------|-----------|----------|-------------|----------|-----------|---------|
| 1/4"     | 37′    | CH25-037  | \$44.98  | CI25-037  | \$60.39  | CH25-037LW  | \$43.48  | CHO25-037 | \$49.52 |
| 1/4"     | 50′    | CH25-050  | \$56.16  | CI25-050  | \$78.50  | CH25-050LW  | \$56.16  |           |         |
| 1/4"     | 75′    | CH25-075  | \$83.94  | CI25-075  | \$115.64 |             |          |           |         |
| 1/4"     | 100′   | CH25-100  | \$111.11 | CI25-100  | \$152.18 |             |          |           |         |
| 5/16"    | 37′    | CH31-037  | \$52.84  | CI31-037  | \$60.39  |             |          | CHO31-037 | \$56.76 |
| 5/16"    | 50′    | CH31-050  | \$68.84  |           |          |             |          |           |         |
| 5/16"    | 75′    | CH31-075  | \$95.41  |           |          |             |          |           |         |
| 5/16"    | 100′   | CH31-100  | \$134.06 |           |          |             |          |           |         |
| 3/8"     | 50′    | CH38-050  | \$73.98  |           |          |             |          |           |         |
| 3/8"     | 60′    | CH38-060  | \$96.62  | CI38-060  | \$126.21 |             |          |           |         |
| 3/8"     | 75′    | CH38-075  | \$116.55 | CI38-075  | \$154.59 | CH38-075LW  | \$116.55 |           |         |
| 3/8"     | 100′   | CH38-100  | \$152.18 | CI38-100  | \$199.28 | CHB38-100LW | \$155.80 |           |         |
| 1/2"     | 60′    | CH50-060  | \$127.12 | CI50-060  | \$136.50 |             |          |           |         |
| 1/2"     | 75′    | CH50-075  | \$155.80 | CI50-075  | \$204.11 | CH50-075LW  | \$155.80 |           |         |
| 1/2"     | 90′    | CH50-090  | \$188.41 | CI50-090  | \$242.76 |             |          |           |         |
| 1/2"     | 100′   | CH50-100  | \$207.74 | CI50-100  | \$262.08 |             |          |           |         |
| 5/8″     | 50′    |           |          | CI62-050  | \$171.50 |             |          |           |         |
| 5/8″     | 80′    | CH62-080  | \$210.15 | CI62-080  | \$277.79 |             |          |           |         |
| 5/8″     | 100′   | CH62-100  | \$257.25 | CI62-100  | \$344.21 |             |          |           |         |
| 5/8″     | 120′   | CH62-120  | \$301.94 |           |          |             |          |           |         |
| 11/16"   | 80′    | CH69-080  | \$241.55 | CI69-080  | \$314.02 |             |          |           |         |
| 11/16"   | 100′   | CH69-100  | \$285.03 | CI69-100  | \$387.69 |             |          |           |         |
| 11/16"   | 120′   | CH69-120  | \$335.79 | CI69-120  | \$457.74 |             |          |           |         |
| 11/16"   | 150′   | CH69-150  | \$411.85 | CI69-150  | \$557.99 |             |          |           |         |
| 3/4"     | 50′    | CH75-050  | \$164.26 | CI75-050  | \$213.77 | CI75-050LW  | \$213.77 |           |         |
| 3/4"     | 80′    | CH75-080  | \$257.25 | CI75-080  | \$340.59 |             |          |           |         |
| 3/4"     | 100′   | CH75-100  | \$312.81 | CI75-100  | \$419.09 | CH75-100LW  | \$312.81 |           |         |
| 3/4"     | 120′   | CH75-120  | \$371.99 | CI75-120  | \$500.01 |             |          |           |         |
| 3/4"     | 150′   | CH75-150  | \$464.99 | CI75-150  | \$614.75 |             |          |           |         |



| Manufactured by Duracable® |  |  | Prices are subject to change without notice.          |   |  |  |  |
|----------------------------|--|--|---|---|--|--|--|
| SIZE                       | SINGLE   | SINGLE SAW   | SINGLE PADDLE   | SINGLE PADDLE SAW                                     | SINGLE GROUND IN                             |  |  |
| 1x<br>0.32 x .50           | 50001 -<br>1/4" thread,<br>flat bottom<br>\$4.29     |  |   |   |  |  |  |
| 1 x .050 x .50             | 50010 -<br>1/4" thread,<br>flat bottom<br>\$4.29     |  |   |   |  |  |  |
| 1 x<br>.050 x .75          | 75036 -<br>1/4" thread,<br>flat bottom<br>\$4.29     |  |   |   |  |  |  |
| 1 x<br>.062 x .75          | 75001 -<br>3/8" thread,<br>flat bottom<br>\$4.29     | 75002 -<br>3/8" thread,<br>flat bottom<br>\$4.29     |   |   |  |  |  |
| 3 x<br>.072 x 1.00         | 72301 -<br>3/8" thread,<br>round<br>bottom<br>\$7.49 | 72302 -<br>3/8" thread,<br>round<br>bottom<br>\$5.80 | 72308 -<br>3/8" thread,<br>round<br>bottom<br>\$11.96 | 72307 -<br>3/8" thread,<br>round<br>bottom<br>\$10.87 |  |  |  |
| 3 x<br>.062 x .75          | 75020 -<br>3/8" thread,<br>V-bottom<br>\$5.25        | 75021 -<br>3/8" thread,<br>V-bottom<br>\$5.25        |   |   | 75022 -<br>3/8" thread<br>V-bottom<br>\$5.25 |  |  |
| 3 x<br>.062 x 1.00         | 10011 -<br>3/8" thread,<br>V-bottom<br>\$5.25        | 10012 -<br>3/8" thread,<br>V-bottom<br>\$5.25        |   |   |  |  |  |
| 4 x<br>.062 x .75          | 75023 -<br>3/8" thread,<br>V-bottom<br>\$5.25        | 75024 -<br>3/8" thread,<br>V-bottom<br>\$5.25        |   |   | 75025 -<br>3/8" thread<br>V-bottom<br>\$5.25 |  |  |
| 4 x<br>.062 x 1.00         | 10013 -<br>3/8" thread,<br>V-bottom<br>\$5.25        | 10014 -<br>3/8" thread,<br>V-bottom<br>\$5.25        |   |   | 10015 -<br>3/8" thread<br>V-bottom<br>\$5.25 |  |  |
| 4 x<br>.072 x 1.00         | 72401 -<br>3/8" thread,<br>round<br>bottom<br>\$9.06 | 72402 -<br>3/8" thread,<br>round<br>bottom<br>\$7.13 | 72408 -<br>3/8″ thread,<br>round<br>bottom<br>\$10.50 | 72407 -<br>3/8″ thread,<br>round<br>bottom<br>\$10.50 |  |  |  |
| 6 x<br>.062 x .75          | 75027 -<br>3/8″ thread,<br>V-bottom<br>\$5.25        | 75028 -<br>3/8" thread,<br>V-bottom<br>\$5.25        |   |   | 75029 -<br>3/8" thread<br>V-bottom<br>\$5.25 |  |  |
| 6 x<br>.062 x 1.00         | 10017 -<br>3/8" thread,<br>V-bottom<br>\$5.25        | 10018 -<br>3/8" thread,<br>V-bottom<br>\$5.25        |   |   | 10019 -<br>3/8" thread<br>V-bottom<br>\$5.25 |  |  |



| Manufacture          | tured by Duracable® Prices are subject to change without notice |  |  |  |  |
|----------------------|---|--|--|--|--|
| SIZE                 | ROUND   | ROUND SAW  | ELLIPTIC   | ELLIPTIC SAW                                     | U-SHAPED   |
| 1<br>x.062 x.75      | 75003 -<br>3/8" thread,<br>flat bottom<br>\$5.25                |  |  |  |  |
| 1.5 x<br>.032 x .50  | 50003 -<br>1/4" thread,<br>flat bottom<br>\$5.25                |  |  |  |  |
| 1.5 x .<br>050 x .50 | 50012 -<br>1/4" thread,<br>flat bottom<br>\$5.25                |  |  |  |  |
| 2 x<br>.032 x .50    | 50004 -<br>1/4" thread,<br>flat bottom<br>\$5.25                |  |  |  |  |
| 2 x<br>.050 x .50    | 50013 -<br>1/4" thread,<br>flat bottom<br>\$5.25                |  |  |  |  |
| 2 x<br>.050 x .75    | 75038 -<br>1/4" thread,<br>flat bottom<br>\$6.64                |  |  |  |  |
| 2 x<br>.062 x .75    | 75007 -<br>3/8" thread,<br>flat bottom<br>\$5.25                | 75008 -<br>3/8" thread,<br>flat bottom<br>\$5.25 |  |  |  |
| 2.5 x<br>.062 x .75  |   | 75010 -<br>3/8" thread,<br>flat bottom<br>\$5.25 |  |  |  |
| 3 x<br>.062 x .75    | 75011 -<br>3/8" thread,<br>flat bottom<br>\$5.99                | 75014 -<br>3/8" thread,<br>flat bottom<br>\$5.99 | 75042 -<br>3/8" thread,<br>flat bottom<br>\$5.99 | 75044 -<br>3/8″ thread,<br>flat bottom<br>\$5.99 | 75015 -<br>3/8″ thread,<br>flat bottom<br>\$5.86 |
| 3 x<br>.062 x 1.00   |   |  | 10052 -<br>3/8" thread,<br>flat bottom<br>\$6.76 | 10053 -<br>3/8" thread,<br>flat bottom<br>\$6.76 |  |
| 4 x<br>.062 x .75    | 75016 -<br>3/8″ thread,<br>flat bottom<br>\$5.99                | 75019 -<br>3/8" thread,<br>flat bottom<br>\$5.99 | 75045 -<br>3/8″ thread,<br>flat bottom<br>\$5.99 | 75047 -<br>3/8″ thread,<br>flat bottom<br>\$5.99 |  |
| 4 x .062 x<br>1.00   |   |  | 10054 -<br>3/8″ thread,<br>flat bottom<br>6.76   | 10055 -<br>3/8″ thread,<br>flat bottom<br>\$6.76 |  |



| Manufactured by    | Duracable®   |   | Prices a  | re subject to change                                  | without noti |
|--------------------|--|---|---|---|--------------|
| SIZE               | PEAR   | PEAR SAW  | PEAR PADDLE   | PEAR PADDLE SAW                                       |              |
| 2.5 x<br>062 x .75 |  | 75009 -<br>.062 x .75,<br>3/8" thread,<br>flat bottom<br>\$5.25 |   |   |              |
| 3 x<br>032 x .50   | 50006 -<br>1/4" thread,<br>flat bottom<br>\$5.25     |   |   |   |              |
| 3 x<br>050 x .50   | 50015 -<br>1/4" thread,<br>flat bottom<br>\$5.25     |   |   |   |              |
| 3 x<br>050 x .75   | 75040 -<br>1/4" thread,<br>flat bottom<br>\$6.64     |   |   |   |              |
| 3 x<br>.062 x .75  | 75012 -<br>3/8" thread,<br>flat bottom<br>\$5.99     | 75013 -<br>3/8" thread,<br>flat bottom<br>\$5.99                |   |   |              |
| 3 x<br>062 x 1.00  | 10001 -<br>3/8" thread,<br>flat bottom<br>\$6.76     | 10002 -<br>3/8" thread,<br>flat bottom<br>\$6.76                |   | 10062 -<br>3/8" thread,<br>flat bottom<br>\$10.87     |              |
| 3 x<br>.072 x 1.00 | 72303 -<br>3/8" thread,<br>round<br>bottom<br>\$9.05 | 72304 -<br>3/8" thread,<br>round<br>bottom<br>\$7.13            | 72306 -<br>3/8" thread,<br>round<br>bottom<br>\$13.53 | 72305 -<br>3/8" thread,<br>round<br>bottom<br>\$11.47 |              |
| 4 x<br>032 x .75   | 50008 -<br>1/4" thread,<br>flat bottom<br>\$5.99     |   |   |   |              |
| 4 x<br>.050 x .50  | 50017 -<br>1/4" thread,<br>flat bottom<br>\$5.99     |   |   |   |              |
| 4 x<br>.062 x .75  | 75017 -<br>3/8" thread,<br>flat bottom<br>\$5.99     | 75018 -<br>3/8″ thread,<br>flat bottom<br>\$5.99                |   |   |              |
| 4 x<br>.062 x 1.00 | 10009 -<br>3/8" thread,<br>flat bottom<br>\$6.76     | 10010 -<br>3/8" thread,<br>flat bottom<br>\$6.76                |   | 10072 -<br>3/8" thread,<br>flat bottom<br>\$13.53     |              |
| 4 x<br>072 x 1.00  | 72403 -<br>3/8″ thread,<br>round<br>bottom           | 72404 -<br>3/8″ thread,<br>round<br>bottom<br>\$7.13            | 72406 -<br>3/8″ thread,<br>round<br>bottom<br>\$13.53 | 72405 -<br>3/8" thread,<br>round<br>bottom            |              |



| Manuf | factured | by D | )uracab | le® |
|-------|----------|------|---------|-----|
|       |          |      |         |     |

Prices are subject to change without notice.

| SIZE               | PEAR   | PEAR SAW   | OFFSET  | OFFSET SAW  |
|--------------------|--|--|---|---|
| 6 x<br>.072 x 1.00 | 72601 -<br>3/8" thread,<br>round<br>bottom<br>\$9.06 | 72602 -<br>3/8″ thread,<br>round<br>bottom<br>\$7.13 |   |   |
| 3 x<br>.062 x 1.00 |  |  | 10003 -<br>3" to 4",<br>3/8" thread,<br>flat bottom<br>\$6.76                 | 10004 -<br>3" to 4",<br>3/8" thread,<br>flat bottom<br>\$6.76                 |
| 3 x<br>.062 x 1.00 |  |  | 10005 -<br>3" to 5",<br>.062 x 1.00,<br>3/8" thread,<br>flat bottom<br>\$6.76 | 10006 -<br>3" to 5",<br>.062 x 1.00,<br>3/8" thread,<br>flat bottom<br>\$6.76 |
| 4 x<br>.062 x 1.00 |  |  | 10007 -<br>4" to 6",<br>3/8" thread,<br>flat bottom<br>\$6.76                 | 10008 -<br>4" to 6",<br>3/8" thread,<br>flat bottom<br>\$6.76                 |

| SIZE               | SINGLE  | SINGLE PADDLE  | SIZE                 | SINGLE  |
|--------------------|---|--|----------------------|---|
| 4 x<br>.072 x .75  |   | 75035 -<br>cone chuck<br>mount for 11/16"<br>to 3/4" cable<br>\$8.82 | 10 x<br>.125 x 1.25  | 12504 -<br>cone chuck<br>mount for 11/16"<br>to 3/4" cable<br>\$15.58 |
| 4 x<br>.094 x 1.25 | 12501 -<br>cone chuck<br>mount for 11/16"<br>to 3/4" cable<br>\$13.04 |  | 12 x<br>.125 x 1.25  | 12505 -<br>cone chuck<br>mount for 11/16"<br>to 3/4" cable<br>\$16.18 |
| 6 x<br>.094 x 1.25 | 12502 - cone<br>chuck mount for<br>11/16" to 3/4"<br>cable \$13.53    |  | 14 x<br>.125 x 1.25  | 12506 - cone<br>chuck mount for<br>11/16" to 3/4"<br>cable \$17.75    |
| 8 x<br>.094 x 1.25 | 12503 - cone<br>chuck mount for<br>11/16" to 3/4"<br>cable \$15.34    |  | 16 x .<br>125 x 1.25 | 12507 - cone<br>chuck mount for<br>11/16″ to 3/4″<br>cable \$18.84    |

#### Small Blade Kit

Blade Kit for Duracable J-Maxx and DM10 Machines Includes:

Reel Attachment for 16" and 19" Open Metal Spoke Reels • 5/32" Short Arm Key • 1/4"-28 Hex Nut (3) • 11" Long, Tapered End Grease Cutter • 1/4" Lock Washer (3) • 1" Single Thick Ground Outside Blade (2) • 2" Round Thick Ground Outside Blade (2) • 3" Thick Pear Ground Outside Blade (2)

DKIT1 \$29.29

## Large Blade Kit

Blade Kit for Duracable DM55 and DM30 Machines Includes: Hook-type Retriever, fits 3/8" threads • One Hole Female Ch

Hook-type Retriever, fits 3/8'' threads • One Hole Female Chuck • Slip Joint Chuck with female end, fits 3/8'' threads • Floating Ring Attachment (male end) • Floating Ring Attachment (bolt attachment) • 5/32'' Short Arm Hex Key • #10-24 x 3/8'' Socket Head Cap Screw Full Dog Point (4) • 2'' Narrow Ground Outside Blade (2) • 3'' Narrow Round Saw Blade (2) • 4'' Narrow Round Saw Blade (2)

DKIT2 \$58.58



DKIT1



#### Manufactured by Duracable®

Prices are subject to change without notice.

#### **Spearhead & Chisel Blades**

| HDC25 2½" Spearhead (use with male end) \$4  | 1.6/ |
|--|------|
| HDC25J 2½" Slip Joint Spearhead \$43         | .48  |
| HDC35 3½" Spearhead (use with male end) \$44 | .08  |
| HDC35J 3½" Slip Joint Spearhead \$45         | 5.29 |
| CH1 ½" Chisel Blade \$                       | 7.73 |
| CH2 3/4" Female End Chisel Blade \$7         | 7.49 |
| CH2J 3/4" Slip Joint Chisel Blade \$20       | .29  |

## **Spearhead & Chisel Blades**



#### **Grease Cutters**

| NF3 | Tapered End, 11" (for 3/8" to 1/2" cable)         | \$16.90 |
|-----|---|---------|
| NF4 | Cylinder End, 7¾" (for 3/8" to 1/2" cable)        | \$17.00 |
| NF5 | Ball End, 8½" (for 3/8" to 1/2" cable)            | \$17.51 |
| NF6 | Drop Head, 31/4" (for 3/8" to 1/2" cable)         | \$19.45 |
| NF8 | Drop Head Barrel Cutter (for 1/4" to 5/16" cable) | \$14.49 |








### **Retrievers & Accessories**

| Ketheve | 13 & Accessories   |                |
|---------|--|----------------|
|         | Spring-type with Female End, 14½"                        |                |
| CRS     | (fits 3/8" threads, 5/8" to 3/4" cable)                  | \$42.35        |
| A4JR    | Female End for CRS                                       | \$5.56         |
|         | Spring-type with Slip Joint End 14½"                     |                |
| CRSJ    | (fits 1/2" to 3/4" cable)                                | \$45.97        |
| A2JR    | Slip Joint End for CRSJ                                  | \$9.66         |
| CR1     | Small Hook-type (fits 1/4" threads, 1/4" to 1/2" cable)  | \$5.92         |
| CR2     | Medium Hook-type (fits 3/8" threads, 5/8" to 3/4" cable) | \$6.88         |
| CR      | Large Hook-type (fits 3/8" threads, 5/8" to 3/4" cable)  | \$9.66         |
| CRHJ    | Auger-type, 5½" Slip Joint (fits 1/2" to 3/4" cable)     | \$26.57        |
|         | Auger-type, 3" Female End                                |                |
| CRHS3   | (fits 3/8" threads, 5/8" to 3/4" cable)                  | \$23.55        |
|         | Auger-type, 5½" Male End                                 |                |
| CRHS    | (fits 3/8" threads, 5/8" to 3/4" cable)                  | <b>\$25.12</b> |
| CRH3    | Short Retriever Auger for CRHJ3 or CRHS3                 | \$8.58         |
| CRH     | Long Retriever Auger for CRHJ or CRHS                    | \$8.58         |
| CRHJE   | End for CRHJ or CRHJ3                                    | \$11.47        |
| CRHSE   | End for CRHS or CRHS3                                    | \$10.99        |
| CRN     | Retriever Spring Only (no end)                           | \$35.10        |
| EW      | Wrench with Male End and Slip Joint                      | \$38.35        |
| СР      | Cable Punch  | \$31.70        |
| CEO     | Cable Easy Out   | \$67.94        |
|         | End Fitting Adapter (converts 1/4" threads to 3/8"       |                |
| CXA     | threads and vice versa)                                  | \$6.76         |

### **Grease Cutters**



**Retrievers & Accessories** 













#### Manufactured by Gorlitz®

| DIAMETER | LENGTH | HOLLOW | CORE           | INNER COF | RE             | DOWN HEAD | )              | BULB HEAD | ı              |
|----------|--------|--------|----------------|-----------|----------------|-----------|----------------|-----------|----------------|
| 1/4"     | 35′    | GORC01 | \$46.32        | GORIC01   | \$57.72        | GORDHC01  | \$63.27        | GORCB01   | \$55.50        |
| 1/4"     | 50′    | GORC02 | \$54.39        | GORIC02   | \$74.37        | GORDHC02  | call for price | GORCB02   | \$67.71        |
| 9/32"    | 35′    | GORC03 | \$44.40        | GORIC03   | call for price | GORDHC03  | call for price | GORCB03   | call for price |
| 9/32"    | 50′    | GORC04 | call for price | GORIC04   | call for price | GORDHC04  | call for price | GORCB04   | call for price |
| 3/8"     | 65′    | GORC05 | call for price | GORIC05   | \$148.74       | GORDHC05  | \$129.87       | GORCB05   | call for price |
| 3/8"     | 90′    | GORC06 | call for price | GORIC06   | call for price | GORDHC06  | call for price | GORCB06   | \$169.83       |
| 13/32"   | 75′    | GORC07 | call for price | GORIC07   | call for price |           |                | GORCB07   | \$166.50       |
| 13/32"   | 100′   | GORC08 | call for price | GORIC08   | call for price |           |                | GORCB08   | \$205.35       |
| 1/2"     | 80′    | GORC09 | call for price | GORIC09   | \$219.78       | GORDHC09  | call for price |           |                |
| 1/2"     | 100′   | GORC10 | call for price | GORIC10   | \$268.62       | GORDHC10  | call for price |           |                |
| 5/8"     | 75′    | GORC11 | call for price | GORIC11   | \$307.47       |           |                |           |                |
| 5/8"     | 100′   | GORC12 | call for price | GORIC12   | \$387.39       |           |                |           |                |
| 11/16"   | 50′    | GORC13 | call for price | GORIC13   | \$246.42       |           |                |           |                |
| 11/16"   | 75′    | GORC14 | call for price | GORIC14   | call for price |           |                |           |                |
| 11/16"   | 100′   | GORC15 | call for price | GORIC15   | call for price |           |                |           |                |
| 11/16"   | 120′   | GORC16 | call for price | GORIC16   | call for price |           |                |           |                |
| 11/16"   | 150′   | GORC17 | call for price | GORIC17   | call for price |           |                |           |                |
| 3/4"     | 50′    | GORC18 | call for price | GORIC18   | call for price |           |                |           |                |
| 3/4"     | 100′   | GORC19 | \$367.41       | GORIC19   | call for price |           |                |           |                |
| 3/4"     | 110′   | GORC20 | call for price | GORIC20   | call for price |           |                |           |                |
| 3/4"     | 150′   | GORC21 | call for price | GORIC21   | call for price |           |                |           |                |





#### Manufactured by Gorlitz®

| 9 | Half Circle Plain<br>GORK01 ½" x 1½"<br>\$6.66<br>GORK02 ½" x 2"<br>\$6.66 | Full Circle Plain GORK03 ½" x 1½" \$6.66 GORK03A ½" x 1½" \$6.66 GORK04 ½" x 2" \$6.66 | Pear Shape Plain<br>GORK05 ½" x 3"<br>\$6.66<br>GORK05A ½" x 4"<br>\$6.66     | K01 - K05 • 1/4" mounting hole • For 3/8", 13/32" and 1/2" cable. • Cable ends E01 - E03.   |
|---|--|--|---|---|
| 2 | Half Circle Plain<br>GORK06 <sup>3</sup> / <sub>4</sub> " x 2"<br>\$6.66   | Full Circle Plain<br>GORK07 <sup>3</sup> / <sub>4</sub> " x 2"<br>\$7.22               | Pear Shape Plain<br>GORKO8 3/4" x 3"<br>\$7.22<br>GORKO8A 3/4" x 4"<br>\$7.22 | K06 - K14  • 3/8" mounting hole  • For 5/8", 11/16" and 3/4" cable.  • Use E20 chuck  |
| 7 | U-Shape Plain<br>GORK09 ¾" x 4"<br>\$7.22                                  | Full Circle Teeth<br>GORK10 ¾" x 2½"<br>\$7.22   | Full Circle Teeth<br>GORK11 ¾" x 3"<br>\$7.22                                 | <ul> <li>assembly, or 3/8"<br/>male threaded stud<br/>cable end.</li> </ul>   |
| 7 | U-Shape Teeth<br>GORK12 ¾" x 4"<br>\$7.22                                  | Pear Shape Teeth<br>GORK13 ¾" x 2"<br>\$7.22   | Pear Shape Teeth<br>GORK14 ¾" x 3"<br>\$7.22<br>GORK14A ¾" x 4"<br>\$7.22     | -   |
|   | Single Knife Teeth<br>GORK19 ¾" x 4"<br>\$7.22<br>GORK20 ¾" x 6"<br>\$7.22 | Single Knife Coined<br>GORK21 ¾" x 4"<br>\$7.22<br>GORK22 ¾" x 6"<br>\$7.22            | Single Knife Teeth<br>GORK24 ¾" x 4"<br>\$7.22<br>GORK25 ¾" x 6"<br>\$7.22    | Cone chuck E09 or<br>E09A required for<br>K19 - K22.  |
| 7 | Pear Shape Teeth<br>GORK15 1" x 3"<br>\$9.16<br>GORK16 1" x 4"<br>\$9.16   | Pear Shape Plain<br>Offset<br>GORK16A 1" x 3"-4"<br>\$9.16                             | Grease Blades<br>GORK17 1" x 3"<br>\$17.20<br>GORK18 1" x 4"<br>\$17.20       | • 3/8" mounting<br>hole<br>• For 5/8", 11/16"<br>and 3/4" cable.  |
|   | Pear Shape Teeth<br>GORK26 1" x 3"<br>\$9.16                               |  | Grease Blades<br>GORK28 1" x 3"<br>\$17.20<br>GORK29 1" x 4"<br>\$17.20       | Heavy Duty wide blades • 3/8" mounting hole • For 5/8", 11/16" and 3/4" cable. • Use E21 chuck assembly and large blade holder E62. |

## JETTER HOSE



## Jetter Hose Manufactured by Piranha® Hose

Western Drain Supply distributes several types of jetter hose including sewer and drain, Slither, Armor Belt and high burst. Piranha Hose is offered in a variety of diameters and lengths. Each hose is available with a choice of ends and includes a six-month warranty from the date of purchase.

#### **SLITHER HOSE**

The cover on the Slither hose is ultra slippery, which allows the hose to maneuver around and through difficult

#### **ARMOR BELT**

When the application calls for extreme durability while maintaining flexibility, Armor Belt is ideal for demanding and harsh environments. It also improves hose life and resists cuts and abrasions.

#### **HIGH BURST**

High burst hose operates at 4,000 psi and features a thermoplastic inner tube that increases durability.

Prices are subject to change without notice.

Orange = 2,500 psi Blue = 3,000 psi Green = 4,000 psi Black = 4,000 psi (high burst) Red = 5,000 psi





#### Piranha Jetter Hose

| LLRDMF08X25     | 1/2" x 25' Red Leader Hose, 5000 psi, male fitting and female adapter | \$120.00   |
|-----------------|---|------------|
| LLRDMM04X300    | 1/4" x 300' Red Jetter Hose, 5000 psi, two male ends                  | \$299.00   |
| LLRDMM08X300    | 1/2" x 300' Red Jetter Hose, 5000 psi, two male ends                  | \$1,114.15 |
| LLGRMM04X200    | 1/4" x 200' Green Jetter Hose, 4000 psi, two male ends                | \$195.00   |
| LLGRMM04X300    | 1/4" x 300' Green Jetter Hose, 4000 psi, two male ends                | \$315.00   |
| LLGRMM04X500    | 1/4" x 500' Green Jetter Hose, 4000 psi, two male ends                | \$457.23   |
| LLGRMM06X200    | 3/8" x 200' Green Jetter Hose, 4000 psi, two male ends                | \$310.18   |
| LLGRMM06X300    | 3/8" x 300' Green Jetter Hose, 4000 psi, two male ends                | \$395.24   |
| LLGRMM08X200    | 1/2" x 200' Green Jetter Hose, 4000 psi, two male ends                | \$521.66   |
| LLGRMM08X300    | 1/2" x 300' Green Jetter Hose, 4000 psi, two male ends                | \$782.50   |
| LLGRMM08X400    | 1/2" x 400' Green Jetter Hose, 4000 psi, two male ends                | \$1,043.33 |
| LLGRMM08X500    | 1/2" x 500' Green Jetter Hose, 4000 psi, two male ends                | \$1,305.00 |
| LLGRMM08X600    | 1/2" x 600' Green Jetter Hose, 4000 psi, two male ends                | \$1,564.99 |
| Piranha Slither | Jetter Hose   |            |
| SLGR08X500      | 1/2" x 500' Green Slither Hose, 4000 psi                              | \$1,060.00 |
| SLGRMM08X500    | 1/2" x 500' Green Slither Hose, 4000 psi, two male ends               | \$1,375.00 |
| SLRDMM08X200    | 1/2" x 200' Red Slither Hose, 5000 psi, two male ends                 | \$780.78   |
| SLRDMM08X500    | 1/2" x 500' Red Slither Hose, 5000 psi, two male ends                 | \$1,951.94 |



## **NOZZLES**

|           | NOZZLE         | PIPE SIZE | INLET SIZE             | FLOW         | PRESSURE      |
|-----------|----------------|-----------|------------------------|--------------|---------------|
| 9         | WV             | 2" - 4"   | 1/4" NPT or BSPP       | 3 - 8 gpm    | 1200 - 5K psi |
| 9         | WT             | 3" - 6"   | 3/8" NPT or BSPP       | 5 - 12 gpm   | 1200 - 5K psi |
| @         | WT-1/2         | 3" - 6"   | 1/2" NPT or BSPP       | 5 - 21 gpm   | 1200 - 5K psi |
| 40        | WS             | 4" - 8"   | 1/2" NPT or BSPP       | 8 - 20 gpm   | 1200 - 5K psi |
|           | WH             | 6" - 18"  | 1/2", 3/4" NPT or BSPP | 10 - 50 gpm  | 1200 - 5K psi |
| 90        | WH-P           | 6" - 18"  | 3/4" NPT or BSPP       | 15 - 50 gpm  | 1200 - 5K psi |
|           | WG             | 8" - 36"  | 1" NPT or BSPP         | 50 - 80 gpm  | 1200 - 5K psi |
|           | WG-P           | 8" - 36"  | 1" NPT or BSPP         | 50 - 80 gpm  | 1200 - 5K psi |
|           | WD             | 8" - 36"  | 1-1/4" NPT or BSPP     | 80 - 120 gpm | 1200 - 5K psi |
| 1         | WHR            | 6" - 18"  | 1/2", 3/4" NPT or BSPP | 14 - 50 gpm  | 1200 - 5K psi |
|           | WGR            | 8" - 36"  | 1" NPT or BSPP         | 50 - 80 gpm  | 1200 - 8K psi |
| -         | WGR 1-1/4      | 8" - 48"  | 1-1/4" NPT or BSPP     | 8 - 120 gpm  | 1200 - 5K psi |
|           | WHR-SWT        | 6" - 18"  | 1/2", 3/4" NPT or BSPP | 14 - 45 gpm  | 1200 - 8K psi |
| 20        | WHR-HYBRID-SWT | 6" - 18"  | 3/4" NPT or BSPP       | 30 - 50 gpm  | 1200 - 5K psi |
|           | WGR-DWT        | 8" - 36"  | 1" NPT or BSPP         | 50 - 80 gpm  | 1200 - 5K psi |
| <b>30</b> | WGR-1-1/4-SWT  | 8" - 48"  | 1-1/4 NPT or BSPP      | 80 - 120 gpm | 1200 - 5K psi |

## **MILLERS**





#### Maxi Miller Manufactured by Picote®

For the toughest jobs, this is the machine you want. The Maxi Miller is a high-speed, high-torque powerhouse designed for cleaning, light or heavy descaling, and tough root removal in pipes ranging from 3" to 10" and cutting/reinstatements in 3" to 8" pipes. When combined with the Picote Maxi Coating Pump, it has the capability of installing epoxy coating in 3" to 12" pipes. It has a reach of 100' of 1/2" cable, which can be extended another 33' with an extension.

3560032012US \$10,985.00



#### Super Midi Miller Manufactured by Picote®

Strong yet flexible, the Picote Super Midi Miller has a range of 65' that can reach another 33' with an extension. The Super Midi is suited to jobs involving heavy descaling, root or other blockage removal, or reinstatements in 3" to 6" pipes. It also pairs easily with the Picote Maxi Coating Pump to brush coat pipes 3" to 8". The Super Midi sits squarely between the Mini and Maxi Miller capabilities, offering the strength of a 1/2" shaft, a thinner shaft casing for flexibility, and a weight of only 150 lbs. It is fed by a standard wall outlet, making it easy to use on any job site.

3551031220US \$8,550.00



### Mini Miller Manufactured by Picote®

The high speed, high torque Mini Miller is adept at blockage removal and reinstatements even in tight 2" traps, up to 4" pipes. This multi-purpose machine can clean and prepare pipes, cut and grind CIPP liners, apply epoxy coatings in conjunction with the Mini Coating Pump (in 2" to 6" pipes) and more. It has a reach of 55' of 1/3'' thick-cased cable, which can reach another 25' with an extension. The compact and lightweight Picote Mini Miller is easy to move, but hard to beat.

| 3540000817US |   | \$4,360.00 |
|--------------|---|------------|
| 3540002817US | Battery powered                           | \$6,273.00 |
| 3540001817US | +C with integrated camera                 | \$6,600.00 |
| 3540003817US | Battery powered +C with integrated camera | \$9,135.00 |



### Mini Cleaner Cutting Machine Manufactured by Picote®

The Picote Mini Cleaner machine is ideal for cleaning in small diameter pipe with multiple bends and 2" p-traps. Snake through nearly any obstacle course of piping with this agile machine! Clean, cut and coat pipes 1¼" to 3" with this compact machine designed for safety and versatility. You'll find unblocking, cleaning and descaling small pipes easy with the Mini Cleaner. The Mini Cleaner's flexible-cased 1/3" cable reaches 50'. Cutting package included; cleaning package also available.

| 3540000818US |   | \$3,908.00 |
|--------------|---|------------|
| 3540002818US | Battery powered                           | \$6,400.00 |
| 3540001818US | +C with integrated camera                 | \$6,127.00 |
| 3540003818US | Battery powered +C with integrated camera | \$8,190.00 |



## PIPE COATING



### Pipe Coating Pumps Manufactured by Picote®

Coat unlined or lined pipes or connections from 11/4" to 8" with the Picote Mini Coating Pump and Mini Miller combination, or use the Maxi Miller Pump system to coat longer and larger diameter pipes (3" to 12") using wider profile brushes that provide a smoother and thicker coat of material. Coat anything from a small area to entire piping systems with the easy-to-use Smart Mixer and dual-color 100% solids epoxy resin cartridges for cast iron, PVC, concrete or clay pipes. Flexible shaft and brushes make it easy to navigate multiple bends even in very small pipes.

| 2220100002 | Mini Coating Pump | \$7,450.00  |
|------------|-------------------|-------------|
| 2220200001 | Maxi Coating Pump | \$10,374.00 |



#### Drying Heater Manufactured by Picote®

The Drying Heater will decrease time between coats with the Picote Brush Coating™ system. 110v heater includes 16' heater hose. Air outlet temperature is limited to 131°F. Automatic thermal cut-out in both motor and heating element. Maximum air velocity up to 100m/s and maximum air volume 2.20m³/min. Minimal noise: 78dBA.

1350000024US \$2,250.00



### Dual Coat Epoxy Kits Manufactured by Picote®

100% Solids Epoxy designed exclusively for the Picote Brush Coating™ System. Rehabilitate decayed and damaged concrete, PVC, fiberglass, clay, cast iron and ductile pipes. Extend the service life of a pipe, stop corrosion, create a new semi structural pipe, "patch" on top of CIPP liner or fortify connections. Apply to small areas or all pipes in multi-story buildings. The simple Dual Color method allows for clear visual verification during application. With multiple coats, the resin forms a semistructural pipe inside the original pipe that is safe and environmentally friendly. The new pipe is wearresistant with a corrosion resistant barrier. Due to high breaking stretch, the new pipe withstands shocks and bending. It is also elastic and antistatic. Kit contains six 12-lb 5-oz cartridges, three white and three gray, plus eight tips and three nuts.

2110001001 \$394.00



A faster curing version of Picote Dual Color 100% Solids Epoxy resin. Ideal for efficient, experienced Picote Brush coating installers. Same high-quality epoxy as our standard epoxy, but with a FASTER curing time. A must-have for shorter runs. Used to rehabilitate decayed and damaged concrete, PVC, fiberglass, clay, cast iron and ductile pipelines. The Dual Color method allows for clear visual verification during application. Six cartridge kit with eight tips and three nuts. Designed exclusively for the Picote Brush Coating™ System. ASTM Certified.

| 2110001010 | Dual Epoxy Kit (three white, three grey) | \$472.00 |
|------------|--|----------|
| 2110001011 | White Epoxy Kit (six white)              | \$472.00 |

**Western Drain** is an authorized **PICOTE** distributor.

## PICOTE ACCESSORIES

### Cleaning Chains Manufactured by PICOTE®

For use with Picote Miller machines, a variety of grinding chains and other tools efficiently and effectively remove build-up and obstructions from inside pipes. Western Drain offers the complete catalog of Picote products. Our most popular accessories are listed here — contact us for a complete selection of accessories to suit your work.

| 1380084050   | Original Standard Chain 2" (two links) for 1/3" shaft | \$44.50  |
|--------------|---|----------|
| 1380084050P  | Original PVC Chain 2" for 1/3" shaft                  | \$36.60  |
| 1380125070VP | Tiger Chain 3" for 1/2" shaft                         | \$148.50 |
| 1381084100U  | Cyclone Premium Chain 4" for 1/3" shaft               | \$234.40 |
| 123000052    | Twister Express 2" for 1/3" shaft                     | \$731.00 |
















### Coating/Cleaning Brushes Manufactured by PICOTE®

Specialized brushes for pipe coating, available in a variety of configurations. Please call us or see your Western Drain sales rep for assistance.

| 21200000125 | Picote Coating/Cleaning Brush 5" for 4" pipe  | <b>\$27.96</b> |
|-------------|---|----------------|
| 2120000050  | Picote Coating/Cleaning Brush 2" for 1¼" pipe | \$28.41        |



#### Grabber Manufactured by PICOTE®

Retrieve lost items or foreign objects. Use this grabbing tool with an air compressor to retrieve items up to 80 lbs. from drain pipes 4" and larger. Includes two different jaws, opening to 3.2" max. Range: 32' - 96'.

| 237000001US  | \$2,288.00 |
|--------------|------------|
| 237000000103 | 32,200.00  |



## Lining Cannons Manufactured by PICOTE®

Lightweight and transparent, Picote's lining cannons are suited to short CIPP installations. Includes three inversion heads (2", 3" and 4"), and one fast cap.

| 236000001US  | Picote Original Cannon | \$2,340.00 |
|--------------|------------------------|------------|
| 2360000003US | Picote Mini Cannon     | \$2,160.00 |

Prices are subject to change without notice.

## **CONTACT US FOR MORE!**

We carry a complete line of professional pipe descaling, coating, lining and rehabilitation tools and equipment from leading manufacturers including Picote, Maxliner, Brawoliner, Sacpro, APS and more. Don't see what you need in our catalog? Visit our showroom, call us, or shop online!



## PIPE LINING

### Max LinerGun<sup>™</sup> Manufactured by MaxLiner®

The aluminum Max LinerGun is a compact inversion unit for lining 2" to 12" diameter pipes. Ideal for residential and industrial drains in horizontal or vertical applications. Methods include open-end for blind shots to the main and closed-end for pit-to-pit. The LinerGun rests on an adjustable stand and comes with 4", 6" and 8" adapter rings.

MAXLG001001 \$16,437.00

## Max Liner Drum 700<sup>™</sup> Manufactured by MaxLiner®

Aluminum inversion drum suitable for air, water, UV and steam installations. Designed to hold more capacity for those longer and larger liners. Equipped with larger wheels for easier transport across any terrain. At under 24" wide, it easily passes through the narrowest doorways. Can be used with 2" to 6" liner, and holds 135' of 4" liner.

**MAX700** \$12,900.00

### Max HotKick 2.0™ Manufactured by MaxLiner®

Mobile Hot Water Curing System with built-in recirculating pump. The unit is a powerful propane fueled system, complete with a 3" to 8" curing manifold, pressure relief Kunkle valve, two 25" long red and black recirculation hoses, pressure gauges, temperature gauges, safety pull strap and band clamps to secure the liner and calibration tube.

**HK 2.0 HEATER** \$10,250.00

## Max SteamKick™ Manufactured by MaxLiner®

Steam curing system includes steamer on rolling frame, steam hose, diffuser, mixing station, supply hose, manifold, clamps and pull strap.

\$12,200.00 **MAXSKSCS** 

#### Max E-Roller<sup>™</sup> Manufactured by MaxLiner®

This compact electric calibration roller can be mounted to a table or easily transported closer to the worksite by unlocking from the detachable baseplate. Ideal for a small crew wetting out longer liners up to 12" diameter. This 48lb, 110v powered unit operates with a foot pedal, allowing for a hands-free operation.

**ER00450** \$6,295.00

### Max Calibration Roller Manufactured by MaxLiner®

Portable manual unit evenly distributes mixed resin through liners 2" to 10". Includes shims (5-11mm) for appropriate gap setting per liner thickness for wet-out.

**MCR0001** \$5,049.00

Maxliner Complete System Package Manufactured by MaxLiner® Pipe Lining package with E-Roller.

**MAXLINER SYSTEM ERLE** 

\$39,106.00





## PIPE LINING







Repair up to 6" pipes with this 700mm stainless steel inversion lining system. Air pressure inverts a resin-soaked liner into the existing pipe through a pressurized drum. The custom designed, fully stainless steel drum has a unique curing port which allows hot water to be circulated directly into the tank via a hot water boiler and pump. This expedites the curing process without losing pressure. The large access hatch allows for easy access during the preparation process. The drum can hold over 160' of 4" liner and 120' of 6" liner. Also includes a full set of inversion nozzles from 2" to 6" with other options available upon request.

APS-000-093 \$14,131.00

Ask us about other sizes - 350 and 500 mm also available.



## Liner Impregnation Roller Manufactured by KrasoTech®

Compact impregnation unit designed for installation inside restoration vehicles. Synchronized drive of both calibration rollers, stepless speed regulation, gap adjustment, and forward or reverse drive rotation give the operator precision control. Made of high-quality aluminum and stainless steel, with coated rollers for easy cleaning.

| APS-000-090 | Automatic Impregnation Roller | \$18,750.00 |
|-------------|-------------------------------|-------------|
| APS-000-119 | Manual Impregnation Roller    | \$5,600.00  |



### **Lining Equipment**

| APS-000-034 | APS Hot Water Boiler Set w/ Circulation Pump<br>& Hose                     | \$11,800.00 |
|-------------|--|-------------|
| APS-000-084 | APS Hot Water Drum Hose Set Up   | \$788.00    |
| APS-005-000 | Honda EU700IS Generator, inverter style 5500 watt electric start, portable | \$6,150.00  |
| APS-000-106 | Tank Nozzle Kit, 45°, 2" to 6"   | \$4,950.00  |
| APS-000-004 | Vacuum Pump for CIPP Impregnation  | \$1,878.00  |

## **Lining Supplies**

| APS-001-097 | Pull Rope for patching, 250'                         | \$143.50 |
|-------------|--|----------|
| APS-000-120 | D-Shackle, use w/ rope and hose for hot water curing | \$16.90  |
| APS-001-096 | Quick Links for attaching Pull Rope                  | \$10.99  |
| APS-003-050 | Liner Cal Tube Adhesive, one quart                   | \$72.34  |
| APS-003-051 | Chip Brushes, one dozen                              | \$38.52  |
| APS-000-122 | Stainless Steel Cable Tie Bands                      | \$37.80  |
| APS-000-094 | Metal Cable Tie Tensioner                            | \$142.00 |
| APS-000-121 | Tail-Pulling Tool for glued cal tube removal         | \$175.50 |
| APS-000-076 | Swivel Geka Union                                    | \$32.50  |



## PIPE LINING

#### MaxPox Resins and Hardeners Manufactured by MaxLiner®

MaxPox® epoxy resin systems are two-part, 100% solids, styrene-free epoxies offering superior mechanical properties, chemical resistance and adhesion to pipe materials, even under very humid and wet conditions. These resins have excellent wet-out capability, low-odor and no VOCs for quick and easy sewer repairs. A variety of resin and hardener formulations are available to afford installers either a short pot life for fast curing applications to an extended pot life for a more controlled installation. Available in a 40-lb bucket.

Part# MP Resin MP 30 Hardener MP 60 Hardener MaxLight UV Resin Max VertiPox Resin Max VertiPox 30 Hardener Max VertiPox 60 Hardener





## Please call for price.







| CalTube HF<br>clear, yellow, green | CALHF-020-<br>100-02-03 | CALHF-030-<br>100-02-03 | CALHF-040-<br>100-02-03 | CALHF-050-<br>100-02-03 | CALHF-060-<br>100-02-03 | CALHF-080-<br>100-02-03 |                         |                         |
|------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| CalTube<br>clear, stitched         |                         |                         | CALSC-040-<br>100-02-01 | CALSC-050-<br>100-02-01 | CALSC-060-<br>100-02-01 | CALSC-080-<br>100-02-01 | CALSC-100-<br>100-02-01 | CALSC-120-<br>100-02-01 |
| CalTube<br>orange, stitched        |                         |                         | CALSO-040-<br>100-02-01 | CALSO-050-<br>100-02-01 | CALSO-060-<br>100-02-01 | CALSO-080-<br>100-02-01 | CALSO-100-<br>100-02-01 | CALSO-120-<br>100-02-01 |
| MaxLiners                          | 2"                      | 3"                      | 4"                      | 5"                      | 6"                      | 8"                      | 10"                     | 12"                     |

| MaxLiners              | 2"                      | 3"                       | 4"                       | 5"                      | 6"                       | 8"                      | 10"                     | 12"                     |
|------------------------|-------------------------|--------------------------|--------------------------|-------------------------|--------------------------|-------------------------|-------------------------|-------------------------|
| FlexLiner 3mm          |                         |                          | FLEXL-<br>040-030-02-01  |                         | FLEXL-<br>060-030-02-01  |                         |                         |                         |
| FlexLiner 4.5 mm       |                         |                          | FLEXL-<br>040-045-02-01  |                         | FLEXL-<br>060-045-02-01  |                         |                         |                         |
| Flex 4D 4.5mm          |                         | FLX4D-<br>306-045-01-02  | FLX4D-<br>406-045-01-02  |                         | FLX4D-<br>608-045-01-02  | FLX4D-<br>806-045-01-02 |                         |                         |
| Liner Tube PU 3mm      |                         | LTUBE-<br>030-030-01-01  | LTUBE-<br>040-030-01-01  | LTUBE-<br>050-030-01-01 | LTUBE-<br>060-030-01-01  | LTUBE-<br>080-030-01-01 |                         |                         |
| Liner Tube PU<br>4.5mm |                         |                          |                          |                         |                          | LTUBE-<br>080-045-01-01 | LTUBE-<br>010-045-01-01 | LTUBE-<br>012-045-01-01 |
| Liner Tube PVC<br>3mm  |                         | LTUBE-<br>030-030-02-01  | LTUBE-<br>040-030-02-01  | LTUBE-<br>050-030-02-01 | LTUBE-<br>060-030-02-01  | LTUBE-<br>080-030-02-01 |                         |                         |
| Scrim PU 3mm           |                         | LTUBR-<br>030-030-01-01  | LTUBR-<br>040-030-01-01  | LTUBR-<br>050-030-01-01 | LTUBR-<br>060-030-01-01  | LTUBR-<br>080-030-01-01 |                         |                         |
| Scrim PU 4.5mm         |                         |                          |                          |                         |                          | LTUBR-<br>080-045-01-01 | LTUBR-<br>010-045-01-01 | LTUBR-<br>012-045-01-01 |
| Scrim PVC 3mm          |                         | LTUBR-<br>030-030-02-01  | LTUBR-<br>040-030-02-01  | LTUBR-<br>050-030-02-01 | LTUBR-<br>060-030-02-01  | LTUBR-<br>080-030-02-01 |                         |                         |
| Superflex 2mm          | SFLXD-<br>020-020-01-01 | SFLXD-<br>030-020-01-01  | SFLXD-<br>040-020-01-01  | SFLXD-<br>050-020-01-01 | SFLXD-<br>060-020-01-01  |                         |                         |                         |
| Superflex 4mm          |                         | SFLXD-<br>030-045-01-01  | SFLXD-<br>040-045-01-01  | SFLXD-<br>050-045-01-01 | SFLXD-<br>060-045-01-01  | SFLXD-<br>080-045-01-01 |                         |                         |
| WovoLiner 3D 3mm       |                         | WOVO3D-<br>3-4-045-01-04 | WOVO3D-<br>4-6-045-01-04 |                         | WOVO3D-<br>6-9-045-01-04 |                         |                         |                         |
| WovoLiner 2mm          | WOVOL-<br>020-035-01-04 |                          |                          |                         |                          |                         |                         |                         |
| WovoLiner 3.5mm        |                         | WOVOL-<br>030-045-01-04  | WOVOL-<br>040-045-01-04  | WOVOL-<br>050-045-01-04 | WOVOL-<br>060-045-01-04  | WOVOL-<br>080-045-01-04 |                         |                         |
| WovoLiner 2.0<br>2mm   | WOVO2-020-<br>035-01-04 |                          |                          |                         |                          |                         |                         |                         |
| WovoLiner 2.0<br>3.5mm |                         | WOVO2-030-<br>045-01-04  | WOVO2-040-<br>045-01-04  | WOVO2-050-<br>045-01-04 | WOVO2-060-<br>045-01-04  |                         |                         |                         |
| Preliner               |                         |                          | PRELN-<br>040-100-00-05  | PRELN-<br>050-100-00-05 | PRELN-<br>060-100-00-05  | PRELN-<br>080-100-00-05 | PRELN-<br>100-100-00-05 | PRELN-<br>120-100-00-05 |



Please call for price.

## INSPECTION







### M18 200' Pipeline Inspection System Manufactured by Milwaukee®

Look into 3" to 10" drain lines up to 200' long with the industry's shortest 34mm 1080p HD self-leveling camera head. Powered by the M18 500GB Control Hub, this modular system lets you digitally zoom up to 4X and optimize light output inside pipes. Two batteries, charger, tablet mount and two camera head skids included.

MT2974-22 \$9,379.99

## M18 120' Pipeline Inspection System Manufactured by Milwaukee

Easily inspect 2" to 6" drain lines with the industry's shortest 25mm 1080p HD self-leveling camera head, which allows you to pan and digitally zoom up to 4X. The M18 500GB Control Hub powers and swaps the reels, stores recordings and is part of the modular M18 system. Two batteries, charger, tablet mount and two camera head skids included.

MT2973-22 \$6,629.99

#### M18 Wireless Monitor Manufactured by Milwaukee

Whether you're outdoors on a roof or in a dimly lit basement, the Milwaukee M18 wireless monitor's  $800 \times 600$  8-inch screen provides a clear, sharp image. Up to 4X zoom and easy video editing allow you to provide instant feedback to customers.

- · Water resistant
- 200-foot range
- One-Key inventory technology

MT2971-20 \$1,499.99

## M12 Pipeline Locator Manufactured by Milwaukee

This locator pinpoints sewer camera sondes and traces underground sewer lines. Upon startup, an arrow points in the direction of the sonde so there's no question which direction to start. Once in range, an icon appears on-screen confirming the exact location of the sonde. Dual 3D antennas eliminate false peaks and increase sensitivity and precision. A 4.3" color LCD display provides a clear image even in direct sunlight.

- IP 65 rated for durability in harsh, outdoor working environments.
- M12 REDLITHIUM batteries for all-day runtime on a single charge.
- ONE KEY tracking, security, and inventory management.

MT2580-21





## **LOCATORS**

#### NaviTrack Scout Locator Manufactured by RIDGID®

RIDGID's solution to the most demanding remote transmitter (sonde) locater uses multi-directional locating technology to see the entire signal all of the time. Simply maximize the signal strength and you have found the target. No nulls or false peaks to complicate the locate. This locator verifies the position using a micro-mapping display to mark distinctive poles in front of and behind the target, ensuring accuracy. Depth is automatically calculated and displayed when over the target. Runs on four C batteries or rechargeable RIDGID Professional 18V battery with RIDGID SeekTech 18V adaptor.

R19238 \$1,860.00

#### SR-24 Line Locator with Bluetooth and GPS

#### Manufactured by RIDGID®

The SR-24 is a precision utility locating instrument with GPS and Bluetooth® technology for easy integration with external data capture devices. The SR-24's omni-directional antennas capture the complete signal field, making it easy to acquire the signal and trace its path. The receiver displays the utility's position and direction, providing an intuitive locating experience. For added confidence, audio and visual warnings notify the operator if the shape of the signal field is being distorted so that appropriate action can be taken to avoid mis-marking the utility's position.

R44473 \$3,650.00





### SeekTech ST-305 Line Transmitter Manufactured by RIDGID®

RIDGID's 5 watt SeekTech ST-305 Line Transmitter lets you energize metallic lines for tracing.

- Can transmit two frequencies simultaneously.
- Audio feedback confirms a good circuit before beginning a trace.

R21898 \$1,160.00



### Remote Transmitter Manufactured by RIDGID®

The remote transmitter can be attached to a drain cleaning cable or a water jet hose to locate the remote transmitter in a line. A flashing LED indicates that the sonde is transmitting.

R16728 \$390.00



The K9-204 FlexShaft machine specializes in larger lines more commonly found on commercial jobs. Use in 2'' to 4'' pipe with the 70' of 5/16'' cable enclosed in a durable nylon sheath.

- Chain knockers expand for full pipe cleaning.
- RIDGID FlexShaft machines let you keep your camera in-pipe while you work.
- Faster setup and cleanup, quick cleaning and cordless convenience save you time.
- A full range of chain knockers and accessories are available.

R64273 \$1,667.00

## CAMERAS







Combines portability with the versatility of the D2 drum series, offering different combinations of push cable stiffness and spring flexibility to tackle any inspection job. Easy to transport with wheels or carry handle. Dock the CS6x or CS65XR digital monitor for convenient transport, operation and storage. The rM200 comes with your choice of D2A or D2B drum.

- D2A Drum specs: 200' x 0.3" push cable, 2.8" minimum bend radius.
- D2B Drum specs: 165' x 0.4" push cable, 3.5" minimum bend radius.

#### SeeSnake MAX rM200 with D2A Drum

R42348 \$8,000.00

SeeSnake MAX rM200 with D2B Drum

R47528 \$8,380.24



## SeeSnake Compact2 with Versa Camera System

### Manufactured by RIDGID®

Big performance in a small package with the CS6x Versa monitor, the Compact 2 delivers 100' of push cable with a 2.5" minimum bend radius, suitable for 1.5" to 6" lines. The self-leveling camera head provides an image that is always upright. A quick-release dock for the CS6x Versa Digital Recording Monitor with Wi-Fi provides fast, efficient job setup. Tilt the monitor to the desired viewing angle while docked or remove it for convenient jobsite placement. Battery and charger included.

R65103 \$9,447.20

SeeSnake Compact2 Reel Only

R48093 \$6,134.48



#### Manufactured by RIDGID®

Digital recording monitoring with Wi-Fi for fast, efficient job setup. Tilt monitoring allows you to view the monitor at your desired angle or remove it for convenient job site placement. Always nail the image with self-leveling camera technology. The 1" TruSense camera head features a high dynamic range image sensor with two-way communication between the camera and SeeSnake. Battery and charger included.

- Quick-release dock for the included CS6x Versa.
- TiltSense inclinometer shows camera's angle in-pipe on CSx series monitors.
- Download the free HQx Live app to view and record inspection jobs on your phone or tablet.
- Use the high power FleXmitter 512 Hz sonde with a RIDGID receiver to locate the camera.
- 131' push cable navigates 2.5" minimum bend radius in 1.5" to 6" lines.

R63828 \$9,808.35



## SeeSnake Compact M40 Camera System with TruSense

#### Manufactured by RIDGID®

The Compact M40 offers similar performance to the SeeSnake Mini in the popular Compact form factor, combining a small package and all-in-one monitor capability. TruSense<sup>TM</sup> self-leveling 1" camera head and high dynamic range (HDR) image sensor offers bright, clear in-pipe imaging in difficult lighting conditions.

- Quick-release docking system for easy setup with the SeeSnake CS6x Versa monitor.
- Sturdy metal frame provides a solid base that makes it easy to push and retrieve the cable.
- Powerful FleXmitter® sonde has long range and preserves the camera's ability to make turns.
- TiltSense displays the camera's angle in a pipe on a connected SeeSnake CSx series monitor.
- 131' push cable navigates 3" minimum bend radius in 1.5" to 8" diameter lines.

R63813 \$10,355.93

SeeSnake Compact M40 with CS6x Versa Monitor, Battery and Charger R63818 \$10,668.72





#### SeeSnake Mini Camera with TruSense

Down pipe visibility is vastly improved with High Dynamic Range (HDR), giving more clearly defined details of the pipe characteristics. The Mini's moderately stiff 200' push cable strikes a good balance between stiffness and the ability to navigate turns. Rugged, high-intensity LEDs provide exceptional viewing and longer life. Powerful FleXmitter® sonde has long range and preserves the camera's ability to make turns.

- The SeeSnake Mini camera reel is the smaller version of the SeeSnake Standard system.
- Now available with TruSense $^{TM}$  technology.
- TiltSense displays the camera's pitch in a pipe on a connected SeeSnake CSx series monitor.

| R63633   | \$7,424.03 |
|--|------------|
| SeeSnake Self-Leveling Mini Camera with TruSense |            |
| R63628   | \$7,699.03 |



### SeeSnake Standard Camera with TruSense

The Standard has the stiffest push cable and is available in lengths up to 325' - making it perfect for long runs, particularly in larger pipes with fewer turns. Line capacity 2" to 12". Unmatched reliability and performance in a rugged package and equipped with TruSense<sup>TM</sup> technology.

- 35mm camera head uses rugged, high-intensity LEDs for exceptional viewing and long life. Models with self-leveling camera head keep the image upright.
- Powerful FleXmitter® sonde has long range and preserves the camera's ability to make turns.
- High dynamic range (HDR) image sensor offers bright, clear in-pipe imaging in difficult lighting conditions.
- TiltSense displays the camera's pitch in a pipe on a connected SeeSnake CSx series monitor.

### SeeSnake 325' Self-Leveling Standard Camera with TruSense

| \$10,010.35 |
|-------------|
|             |
| \$8,802.46  |
|             |
| \$9,029.99  |
|             |
| \$8,197.00  |
|             |



## SeeSnake microReel Video Inspection System

1½" to 4" lines when used with CA-350 camera or 5" lines when used with a SeeSnake monitor, up to 100'. Passes 90° bends in most 2" lines. The microReel video inspection system provides small size and maneuverability for small diameter and tight-turn radius inspections.

- Lightweight and compact design is half the size of popular inspection systems; easily stowed in a truck and carried onto the job site.
- Multi-monitor compatibility with existing SeeSnake monitors or the micro CA-350 digital
- Durable 25mm camera head with hardened stainless steel camera head spring assembly ensures a long service life. Long-lasting high-intensity lights for exceptional viewing.
- Stiffer push cable than microDrain to enable line inspections up to 100'.





## **MONITORS**





#### CS65xR SeeSnake Monitor

#### Manufactured by RIDGID®

This monitor is a powerful, all-in-one reporting and diagnostics solution. Built on the time-tested platform of the SeeSnake CS65x monitor, the CS65xr boasts a crisp, 1024 × 768 XGA high resolution and daylight viewable display for exceptional viewing on the job site.

- Durable, 128 GB internal SSD provides ample storage for multiple jobs.
- Dual USB ports give you the ability to make up to two copies of the job at once.
- Water-resistant keyboard and full-featured reporting software allows for fast, efficient onsite
- Integrated Wi-Fi and Bluetooth allows live inspection streaming on an iOS or Android device.
- Batteries and charger included.

\$6,033.94 R69038



## CS6x Versa Digital Reporting Monitor with Wi-Fi

#### Manufactured by RIDGID®

Improving job site ergonomics, the CS6x Versa has high and low monitor mounting positions and a unique pivoting frame that lets users tilt the monitor to the desired angle for optimal viewing efficiency. Improved ingress protection against dust and moisture. This design allows the sunshade to remain open in all usage situations for maximum glare reduction.

- 5.7" daylight viewable screen, direct USB recording, full TruSense™ compatibility, and Wi-Fi connectivity for remote viewing and recording on a phone or tablet.
- The frame docks to the Compact 2/C40/M40 and can be used mounted or unmounted.
- Pivoting frame with high and low mounting positions allow flexible placement and optimal
- Operates on one 18 V battery or with the included AC power adapter.

R64968 \$3,470.98



## CS12x Digital Reporting Monitor with Wi-Fi

#### Manufactured by RIDGID®

The SeeSnake CS12x Monitor delivers a large screen, dual battery functionality and Wi-Fi connectivity. Designed to help you work smarter, not harder on the job site.

- Stream or record inspections to an iOS or Android phone or tablet with the free HQx Live companion app.
- Capture images and video directly to a USB drive.
- Large 12.1" display with a resolution of 1024x768 pixels is crisp, clear and daylight readable.
- Powerful processor delivers quick start-up time and snappy performance.

\$5,010.77 R57278

CS12x Kit with two Batteries and Charger

R57288 \$5,481.83

We carry a full line of RIDGID tools. This catalog features our most popular items.

Ask us about Ridgid's new VIA system!

## **PRESS TOOLS**

#### RP 350 Press Tool Manufactured by RIDGID®

The RIDGID RP 350 features a brushless motor that is capable of over 100,000 press cycles and requires no scheduled maintenance. Get access to hard-to-reach locations with endless 360° swivel. With the most advanced LED interface and lighting, the RP 350 has been upgraded from top to bottom. It's also the only press tool in the industry compatible with all RIDGID Standard Series jaws, rings, actuators and attachments.

#### RP 350 Capacity:

- 1/2" to 4" for carbon steel (press booster is needed for 2½" to 4" carbon steel)
- 1/2" to 4" copper and stainless steel
- 1/2" to 2" for PEX

| R67053 | RP 350 Press Tool<br>Battery & Charger Kit w/ 1/2" - 2" ProPress Jaws | \$3,749.99 |
|--------|---|------------|
| R67058 | RP 350 Press Tool<br>Battery & Charger Kit w/ 1/2" - 1" ProPress Jaws | \$3,530.00 |
| R67063 | RP 350 Press Tool Battery & Charger Kit (no jaws)                     | \$2,841.00 |
| R67068 | RP 350 Press Tool<br>Corded Adapter Kit w/ 1/2" - 2" ProPress Jaws    | \$4,444.00 |
| R67073 | RP 350 Press Tool<br>Corded Adapter Kit w/ 1/2" - 1" ProPress Jaws    | \$3,473.00 |
| R67083 | RP 350 Press Tool only  | \$2,341.94 |
| R57398 | RP 240 Pressing Tool Kit  | \$2,437.95 |
| R57363 | RP 241 Pressing Tool Kit  | \$2,382.78 |





## Force Logic Press Tool Manufactured by Milwaukee®

The Force Logic™ Press Tool is the single lightest press tool in the market today. Featuring a one-handed, in-line design, it will operate nearly anywhere you can fit your arm. Be assured of secure, quality connections with this advanced tool.

| MT2473-22 | M12 Force Logic Press Tool Kit with 1/2" – 1" Jaws (with two batteries, charger and case) | \$1,999.00 |
|-----------|---|------------|
| \         | M18 Force Logic One-Key Press Tool Kit with 1/2" – 2"                                     |            |
| MT2922-22 | CTS Jaws (with two batteries, charger and case)   | \$3,549.00 |



## Pipe Shear Tool Manufactured by Milwaukee®

The Plastic Pipe Shear's razor-sharp pierce-point leaves material clean, burr-free and ready for installation with over 200 cuts on one battery charge.

|           | M12 Plastic Pipe Shear Kit           |          |
|-----------|--------------------------------------|----------|
| MT2470-21 | (with one battery, charger and case) | \$199.00 |



## Tube Cutter Tool Manufactured by Milwaukee®

The Cordless Copper Tubing Cutter Kit's unique cutting mechanism automatically adjusts diameter to cut Type K, L and M copper pipes from 3/8" to 1". Cut installed copper piping with as little as  $1\frac{1}{2}$ " clearance. A built-in LED light illuminates the cutting surface.

|           | M12 Cordless Copper Tubing Cutter Kit |          |
|-----------|---------------------------------------|----------|
| MT2471-21 | (with one battery, charger and case)  | \$175.00 |
|           | (With one outlery, charger and case)  | \$175.5  |



## DRAIN CARE





#### ProClean® Concentrated Drain Cleaner

ProClean Concentrated Drain Cleaner is a safe, economical and environmentally-friendly solution specifically designed to help keep drains free-flowing and prevent buildups from grease, fats and soaps. Nontoxic, beneficial bacteria absorb the grease and organic buildup in your pipes and convert them into harmless carbon dioxide and water through natural biological activity. In addition, a biofilm coats the inside of your drain pipes and continues to consume the organic wastes until the waste is gone. The formula also has a pleasant herbal fragrance to deodorize drains.

ProClean Concentrated Drain Cleaner contains no solvents, acids or caustic ingredients. It is approved for use by municipalities and water treatment facilities across the country. ProClean Concentrated Drain Cleaner will not harm drains – copper, PVC or iron – regardless of how often it is used. It is also safe to use around food processing areas.

| PC1 | Concentrated Drain Cleaner Quarts  | 12 per case / | \$81.25 |
|-----|------------------------------------|---------------|---------|
| PC2 | Concentrated Drain Cleaner Gallons | 4 per case /  | \$65.00 |

PC1 and PC2 ship 48 cases per pallet.



## ProClean® Drain Line & Grease Trap Treatment

ProClean Drain Line & Grease Trap Treatment uses a high concentrate of selectively adapted bacteria to degrade greases, fats, long-chain fatty acids and other organic waste. It is ideal for commercial locations such as restaurants, where a heavier concentration of waste products can quickly clog drains. Regular use helps prevent buildup in drain pipes and reduces the amount of grease trap pumping required by as much as 65 percent. ProClean Drain Line & Grease Trap Treatment builds a biofilm of microbes on the walls of the drain lines and grease traps. It works around the clock, consuming grease and organic waste before it has a chance to buildup. Use with the Time Flow Meter for auto-dispensing.

| PC3 | Drain Line & Grease Trap Treatment (5 gallon)  | \$75.00  |
|-----|--|----------|
| PC6 | Drain Line & Grease Trap Treatment (30 gallon) | \$359.00 |

\*PC3 ships 32 pails per pallet; PC6 ships 4 drums per pallet.



## ProClean® Sugar Residue Digestant

Drain lines in food service establishments all have a common problem. It is known as the "sugar-snake" - sugar from soft drinks and other products (candy, ice cream, juice, etc.) build up inside drain lines, especially inside beverage towers. ProClean Sugar Residue Digestant breaks down sugar buildup. It can be used anywhere high concentrations of sugar or carbohydrates are found, including food processing areas. Regular use of ProClean Sugar Residue Digestant eliminates backups and odor problems. Dispense using a Time Flow Meter to automatically release the product into the drain line.

PC<sub>5</sub> Sugar Residue Digestant (2 gallon) 2 per case / \$88.00




### ProClean® Lift Station Grease Dissolver

The ProClean Lift Station Grease Dissolver provides an easy solution to organic waste build-up that can cause problems. The Lift Station Grease Dissolver is composed of safe and natural bacteria that works to reduce odor, sludge, fats, oils and grease buildup. The block allows for 24-hour continuous treatment and also greatly reduces the time it takes for dosage maintenance.

| PCGTB5     | Lift Station Grease Dissolver (5 lbs.)  | 4 per case / | \$178.00 |
|------------|---|--------------|----------|
| BIOBLOCK10 | Lift Station Grease Dissolver (10 lbs.) | 2 per case / | \$290.00 |



## DRAIN CARE



#### ProClean® Urinal Screens

The Urinal Screen's trap prevents debris from entering the drain line in businesses and public facilities. ProClean's Urinal Screen deodorizes and also eliminates calcium buildup inside drain lines; the Fragrance Screen helps dissolve mineral deposits, hard water scale and uric salts. Each four-ounce block lasts for approximately 45-60 days, depending on usage. The Urinal Mat works to deodorize urinals with a cherry scent. The screen helps prevent debris from entering drain lines.

| DC107 | Apple Scented Urinal Screen with calcium buildup remover | 12 per case                | \$31.75 |  |
|-------|--|----------------------------|---------|--|
| DC109 | Cherry Fragrance Screen                                  | 12 per case \$ <b>27</b> . |         |  |
| UMAT3 | Urinal Mat   | 12 per case                | \$12.90 |  |

### **Time Flow Meter**

The Time Flow Meter uses a microprocessor that automatically injects the precise amount of ProClean Sugar Residue Digestant or ProClean Drain Line & Grease Trap Treatment into the drain to replenish the biofilm that was washed away by the flow of water through the system. The customizable unit is capable of 24 separate cycles per day, 7 days a week.



Time Flow Meter Each \$217.00





#### RootX®

RootX is a foaming root control product that kills roots that are invading drain lines. RootX makes it easy to clean residential sewer lines, storm pipes and septic systems. The product is guaranteed to keep lines free of roots for 12 months. RootX is non-systemic so will not harm plants or trees and will not damage pipes or septic systems. Each case of RootXK and RootX4K comes with one application funnel.

| ROOTXK  | RootX (2 lb. container) | 12 per case  | \$252.00 |
|---------|-------------------------|--------------|----------|
| ROOTX4K | RootX (4 lb. container) | 12 per case  | \$445.00 |
| FA101   | Application Funnel      | Individually | \$3.10   |



### **Hercules Root Destroyer**

Root Destroyer is used to prevent re-growth of roots in drain lines. After removing roots with a cable machine or jetter, Root Destroyer impedes the growth of roots in drain lines. Root Destroyer is a safe, effective way to remove the roots that cause blockage and restores water flow without affecting the growth of the plant. Root Destroyer is non-systemic, which means it will not affect the rest of the plant or tree when applied to the roots. A simple application of Root Destroyer just twice a year can prevent the growth of roots in drain lines.

| PC4 Root Destroyer (2 lb. container) 6 per case | \$96.00 |
|---|---------|
|---|---------|

# DRAIN CARE



#### **BioLine Drain Maintainer**

Specially formulated for drain lines and septic systems. It is an environmentally-safe, easy-to-use liquid concentrate which penetrates and digests household grease, soaps and detergents. The biological ingredients will start working within thirty minutes to keep those odors away.

| CUST5712       | Half-Gallon                     | \$12.45 |
|----------------|---------------------------------|---------|
| CUST5712(CASE) | Case of six Half-Gallon Bottles | \$71.00 |



### **BioLine Grease Trap Formula**

Specially formulated for commercial applications, BioLine Grease Trap treatment is an environmentallysafe, easy-to-use concentrate which absorbs and digests fats, oils and grease. Use with a Flow Meter to ensure a consistent preventive maintenance program.

| <b>CUST5705</b> | 5-Gallon  | \$63.55  |
|-----------------|-----------|----------|
| CUST5715        | 15-Gallon | \$194.29 |
| CUST5730        | 30-Gallon | \$360.00 |

Prices are subject to change without notice.



Western Drain Supply carries a full line of **Drain Care** Products.

## ORDERING INFORMATION

#### How to Order:

Copy and re-use the handy order form at the back of this catalog to prepare your order, including part numbers and quantities. Have your customer account number ready. (Located on the top left side of your invoice).

#### ■ Call 714-632-0447

Phones answered Monday through Friday, 7:00 a.m. - 4:00 p.m. Pacific Standard Time.

- Order online at WesternDrain.com
- Email your order to saleswd@westerndrain.com
- Visit our retail store at 1140 North Kraemer Place Anaheim, California 92806

Open Monday through Friday, 7:00 a.m. – 4:00 p.m. Pacific Standard Time.

#### Methods of Payment -

- 1. In store, with cash, check or credit card.
- 2. Credit Cards: Visa, Mastercard, Discover or American Express.
- 3. Open account. A line of credit is determined by Western Drain Supply. You will be billed for all purchases.

Credit Policy - Net 30 days. All balances must be paid within 30 days of invoice date. Invoices are delivered via email.

Late Fees - All balances over 30 days past due will be subject to a 11/2% monthly late charge (18% APR).

Sales Tax - We are registered to collect and remit sales tax in all states EXCEPT the following: AK, DE, DC, ME, MS, MT, NH, ND, OR, PR, VT, WV and WY (subject to change). If you are located in any of these states we recommend that you contact your tax advisor about any use tax that may be owed. Exempt customers can provide a sales tax exemption certificate to our customer service representatives. Online exempt orders must login to their account instead of using guest checkout.

Delivery Methods - Orders may be picked up in-store or shipped to you. Specify when ordering.

Delivery Time - Most orders are processed and shipped within three to five business days of receipt. Delivery times can vary depending on your location. Overnight or expedited shipments are available by request and incur additional charges.

Shipping Charges - Shipping costs will vary based on material classification, weight, distance and the carrier used. Western Drain Supply receives discounts from several freight carriers. These savings are passed on to you when shipping your order. We try to find the most economical way to ship your order within the time frame you give us. We consider:

Weight: Individual packages up to 150 lbs. are shipped United Parcel Service (UPS). Packages more than these weight limits should go by Motor Freight, where there is a single charge for packages up to a weight break level: typically 500 lbs., 1000 lbs., etc. The heavier the shipment, the lower the cost per 100 lbs.

**Speed:** UPS offers one-day and two-day air delivery anywhere in the U.S.; however, they charge a premium for one- and two-day service.

Damaged Shipments - Delivery driver's signature for the shipment from Western Drain Supply indicates all items listed on the Bill of Lading were received in good order and the carrier is responsible for delivering these items to you in the same good order. To guard against financial loss from damaged or lost shipments, you should take the following precautions:

- 1. When your shipment arrives, confirm all items on the Freight Bill agree with the Bill of Lading or invoice from Western Drain Supply.
- 2. Damaged goods or short shipment does not in and of itself justify a refusal to accept merchandise. In case of shortage or damage, have the driver note the shortage or damage on the Freight Bill and sign it. A signed Freight Bill without any notation of damage or loss releases the transportation company from liability. Any concealed damage must be reported to the transportation company within 15 days of delivery.
- 3. If a claim is necessary, the transportation company will inspect the damage or trace the loss, and will provide you with a claim form. The copy of the freight bill - with the shortage or damage noted on it and signed by the delivering carrier's representative - is the best possible support for your claim. Although our legal liability for your shipment ceases when the transportation company signs for it at our dock, we are always willing to help you in any way possible in tracing lost shipments or assisting with claims when necessary.



## WARRANTIES

Incorrectly Shipped or Defective Goods - If your shipment was wrong or defective and needs to be returned to Western Drain Supply, contact us immediately for a Returned Goods Authorization number (RGA). This number must be identified on the outside of the package. Items returned without an RGA on the outside of the package will be returned to sender. Items must be returned to Western Drain Supply within 30 days of the invoice date. Provide the serial number and model number of the item, if applicable, and the reason for the return. Please provide a copy of your invoice in the shipment. Returned cable must include the inventory tag and a minimum of seven feet of cable.

Returned items received after 60 days will be charged a 20% restocking fee. Improperly packaged items will be refused and returned to you and credit will be denied. Items packaged in the original carton must include the carton in reusable condition. Western Drain Supply will credit reasonable shipping costs for items deemed defective by the manufacturer within the warranty period. Include a copy of the receipt from the shipping company for possible credit of freight. Unnecessary freight shipments will not be refunded. No C.O.D. returns accepted. Goods for which credit is denied will be scrapped unless otherwise noted.

Non-Returnable Goods - The following items may not be returned: goods more than 90 days old; special orders; discontinued items; goods that are unacceptable for resale; goods returned without proper documentation or without an RGA number; machines without a serial number; opened safety products; goods not in the original carton or case; and partial cases of goods.

Repairs - Western Drain Supply is an authorized repair center for Ridgid and Picote. We service most brands. For inspection and/or repairs, contact your account manager for an RGA number. Package the machine properly and identify the outside of the package with the RGA number. You are responsible for the freight. Western Drain Supply will inspect your machine for \$225. Repairs are billed at \$150 per hour. We will contact you to explain what repairs are needed and the cost. If you decide to have Western Drain Supply repair your machine, the inspection fee will be credited.

#### **Warranties:**

Product warranties are at the manufacturer's discretion and are not offered by Western Drain Supply. Return shipping on warranty items is at the customer's expense unless otherwise arranged with the manufacturer.

### Pricing:

All products and prices are subject to change without notice. We make every effort to get you the best price on items from our vendors, but we cannot predict vendor price changes or timing. Please call us for current pricing on items we carry.



## ORDER FORM



1140 N. Kraemer Place • Anaheim, CA 92806 • Phone: 714-632-0447 • Email: saleswd@westerndrain.com

| BILL IO:                        |                             |                  | SHIP IO: 🚨 Ch    | eck it same as 'Bill To' |                  |          |
|---------------------------------|-----------------------------|------------------|------------------|--------------------------|------------------|----------|
| Customer Account #:             |                             |                  | Shipping: 🗖 Sta  | andard 🔲 Rush (will in   | ncur an addition | al cost) |
| Customer P.O. #:                |                             |                  | Order Date:      |                          |                  |          |
| Company Name:                   |                             |                  | Company Name:    |                          |                  |          |
| Contact Name:                   |                             |                  | Contact Name: _  |                          |                  |          |
| Street Address:                 |                             |                  | Street Address:_ |                          |                  |          |
| City:                           | State:                      | Zip:             | City:            |                          | State:           | Zip:     |
| Phone:                          |                             |                  | Phone:           |                          |                  |          |
| E-mail:                         |                             |                  | E-mail:          |                          |                  |          |
| ☐ Tax Exempt? Provide Certifica | ate if not already on file. |                  |                  |                          |                  |          |
| Payment Method: 🔲 Visa          | ☐ Mastercard                | ☐ American Expre | ess 🔲 Discover   | ☐ Bill My Accou          | nt               |          |
| Credit Card #:                  |                             | Expiration Date: | ·/               | Signature:               |                  |          |
| Customer P.O. #:                |                             |                  | Shipped Via:     |                          |                  |          |
| Quantity                        | Part#                       | De               | escription       | Unit Price               |                  | Total    |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |
|                                 |                             |                  |                  |                          |                  |          |





714-632-0447 westerndrain.com

1140 N. Kraemer Place Anaheim, CA 92806